UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/606,554	06/26/2003	Robert M. Brustowicz	CHD-006	5300
David Prashker	7590 06/12/200	EXAMINER		
DAVID PRASHKER, P.C. P.O. Box 5387 Magnolia, MA 01930			PRICE, NATHAN R	
			ART UNIT	PAPER NUMBER
			3763	
			MAIL DATE	DELIVERY MODE
			06/12/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/606,554	BRUSTOWICZ, ROBERT M.	
Office Action Summary	Examiner	Art Unit	
	NATHAN R. PRICE	3763	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING DESTRICTION OF THE MAILING	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tird will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 14 A This action is FINAL . 2b) ☑ This 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro		
Disposition of Claims			
4) ☐ Claim(s) 6,9 and 10 is/are pending in the app 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 6,9 and 10 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	awn from consideration.		
Application Papers			
9) ☐ The specification is objected to by the Examin 10) ☑ The drawing(s) filed on 26 June 2003 is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the E	a) accepted or b) objected to edrawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat* See the attached detailed Office action for a list	nts have been received. nts have been received in Applicationity documents have been received au (PCT Rule 17.2(a)).	on No ed in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D: 5) Notice of Informal F 6) Other:	ate	

Art Unit: 3763

DETAILED ACTION

Drawings

1. The drawings are objected to because the structures depicted in the drawings are difficult to discern. The hand-drawn nature of the drawings combined with the use of shading and cross hatching (for example, in element 80 in fig. 1, and the unlabeled element with a line directed to it towards the rear of the apparatus in fig. 4, among many other elements depicted in the figures) and some graininess present in the drawings, limit the ability of one viewing the drawings to perceive the individual elements depicted and described and the relationships between the elements, even in light of the description in the specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required Application/Control Number: 10/606,554

Art Unit: 3763

corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 3

2. The drawings are objected to because there is an element in fig. 4, darkly shaded and located toward the rear of the apparatus depicted, which is indicated by a line which seems to be missing a reference number. Applicant should check all drawings to ensure all elements are properly labeled in view of the specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 3763

Claim Objections

3. Claim 9 is objected to because of the following informalities: "withdrawl" appears twice in the claim and should be spelled "withdrawal"; in part (a), "and radial rotation movement" seems to be grammatically incorrect, and should be amended to either "and radial rotational movement" or "and radial rotation"; in part (b), "said tab engagement" should be "said tab-engagement" to maintain proper antecedent basis. Appropriate correction is required.

- 4. Claim 10 is objected to because of the following informalities: it is unclear whether non-rotable is a misspelling. If it is intended to mean non-rotatable, the spelling should be corrected. Rotable is a word with a meaning unrelated to the act of rotation. Appropriate correction is required.
- 5. Applicant should check claims for any other spelling/grammatical errors or errors with antecedent basis which may be present.

Claim Rejections - 35 USC § 112

- 6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 7. Claims 6, 9, and 10 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 8. Claims 6, 9, and 10 are replete with indefinite descriptive language modifying the elements claimed, including "configured" and "sized" (any structural element would inherently be configured and sized for its intended function; this language is indefinite

Application/Control Number: 10/606,554

Art Unit: 3763

Page 5

because it is unclear how applicant intends the claimed elements to be "configured" and "sized"), "of set/fixed dimensions and configuration" (it is inherent that an elements dimensions or configuration will be fixed in some way; this language is indefinite because it is unclear how applicant intends the claimed elements to be "set" or "fixed" in their configurations), "discrete" (as best understood, "discrete" seems to be intended as separate from or standing alone, but since there is no indication from which elements the claimed elements modified by "discrete" are discrete, this language is indefinite), "at an aligned position" (indefinite because the claims fail to point out to what the claimed element is aligned); "at will" (movement "at will" implies that the element is capable not only of moving itself, but of determining when to move itself; even if one were to assume that this language refers to the will of a user, it is unclear what the language means because an element adapted for rotation would have to be rotatable "at will"); "on**demand**" (it appears that "on-demand" is intended to limit the type of engagement claimed in some way, but the language is indefinite because it is impossible to determine what is meant by engaging "on-demand"; similar to "at will," "on-demand" implies some desire or will on the part of either the apparatus or the user, but the source of this "demand" and how it relates to the structure of the apparatus is indefinite). This indefinite language appears to be intended to limit the claimed invention in some way, but fails to do so.

9. Many of the terms cited above, such as "aligned", "set", "sized", "fixed", "discrete", and "configured", by the very nature of the terms used, require further description in order to hold meaning and limit the invention. For instance, when an

Art Unit: 3763

element is aligned, it must be aligned *in relation to* something, be it an element or a point in space, for the term "aligned" to hold any meaning. It is recommended to either add appropriate language to clarify how this language is intended to limit the claims, or remove this language from the claims.

- 10. Limitations such as "at will" and "on-demand" also require some clarification as to who or what is exerting its will, and how the apparatus is configured to accommodate the desired operation. In any apparatus configured for operation in some way, it is understood that an operator or controller with a desire or programming to operate the device could operate it. These limitations, therefore, carry no weight. It is recommended to remove this language from the claims, and, if necessary, replace it with language that appropriately reflects the desired functional or structural limitations Applicant intended to claim by including this language.
- 11. For the purposes of examination, the language discussed above is interpreted as non-limiting.

Claim Rejections - 35 USC § 102

12. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 13. Claims 6, 9, and 10, as best understood, are rejected under 35 U.S.C. 102(b) as being anticipated by Vaillancourt (US 5591138). Vaillancourt discloses the improvement of an on-demand needle retaining and locking mechanism to prevent

premature withdrawal of the piercing needle into a safety chamber (fig. 1-6), said mechanism comprising: a needle-safety container (hollow collar segment 17, fig. 1) which can be rotated radially on-demand, and has a sized solid tab member 21 (fig. 1) disposed at and extending radially from the open first end at an aligned position (element 21 extends radially, see fig. 1-6, and is disposed at a position aligned with the open first end); and a needle housing 11 (fig. 1) mounted over said needle-safety container (see fig. 1) which is adapted for slidable axial movement (between positions in fig. 1-3) and radial rotation movement (to move element 21 in and out of locking engagement, see fig. 1-3) at will over said needle-safety container, has a hollow spool section (exterior portion of housing 11, fig. 1-6) positioned at and joined to the front end of said needle housing for on-demand engagement with said solid tab member of said needle-safety container after said needle-safety container has been radially rotated (engagement provided by portion 25 of slot 22, fig. 1-6), said hollow spool section comprising a central cavity (area between outer and inner parts of housing 11, fig. 6), open front and rear ends adapted for passage therethrough by a piercing needle (see fig. 6), a tab-engagement segment (elements of slot 22, fig. 1-6), and a pair of sized notches (25 and 23, fig. 1-6) within said tab engagement segment, wherein said spool section is alignable at will with said solid tab member of said needle safety container (see fig. 1-6), said spool section can be engaged by and disengaged from said solid tab member of said rotable needle-safety container on-demand as a consequence of radially rotating said needle-safety container (as shown in fig. 1-6 in various stages of engagement and disengagement), and the engagement of said spool section with said

Art Unit: 3763

solid tab member of said radially rotated needle-safety container provides an ondemand needle retaining and locking mechanism which prevents premature withdrawal
of a piercing needle into a safety chamber (see fig. 1-6); a non-rotable linear segment
20 (fig. 6) which is in an aligned and axial orientation, and a hollow collar segment 17
(fig. 6) which is attached to and aligned with the open front end of said non-rotatable
linear segment of said needle-safety container, and can be radially rotated at will
independently from said non-rotable linear segment of said needle-safety container,
presents at least one discrete wall of preset dimensions and configuration (see fig. 1-6)
and a central void space (interior visible in fig.6), has open front and rear ends adapted
for passage therethrough of the tip of a piercing needle (rear and front ends of the wall
of 17 are open, see fig. 6).

Response to Arguments

- 14. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.
- 15. Examiner understands that Vaillancourt has been cited in a previous action, and that Applicant has submitted prior arguments regarding the Vaillancourt reference.

 Since Examiner has once again applied the Vaillancourt reference, a brief response to those arguments is presented below.
- 16. Applicant argues that the Vaillancourt reference explicitly requires elements that the present invention does not demand. Examiner maintains that all the elements and functions actually claimed in the instant application (giving the claims their broadest reasonable interpretation) are disclosed in the Vaillancourt reference, as demonstrated

Art Unit: 3763

in the rejection above. The additional working parts to which Applicant refers in Vaillancourt are in no way excluded from Applicant's invention as claimed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NATHAN R. PRICE whose telephone number is (571)270-5421. The examiner can normally be reached on Monday-Thursday, 9:00 a.m. - 5:00 p.m. EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/N. R. P./ Examiner, Art Unit 3763 /Nicholas D Lucchesi/ Supervisory Patent Examiner, Art Unit 3763 Application/Control Number: 10/606,554

Page 10

Art Unit: 3763